CLARNIGO®

COMMITED TO EXCELLENCE


Stoneless PULVERIZER

100% GUARANTEED BEST PRODUCT PREMIUM QUALITY LIMITED EDITION



Website
www.clarnigo.com

Email
info@clarnigo.com



THE CLARNIGO PHILOSOPHY

CLARNIGO MACHINES MFG PVT. LTD. is well-known brand having Three Director **Mr. Rajdeepsinh Gohil**, **Mr. Anil Chauhan** and **Mr. Kaushik Chudasama**. Since 2019 has started the journey from Rajkot (GUJARAT) we are Leading manufacturing of Commercial Pulverizer, Domestic Flourmill, Gravy Machine, Packing Machine, Cleaning Machine, food processing Machinery and etc....

Our All Product are Extremely Robust and highly durable as well. We also provide customized solution to our customer and we are committed to provide best support and service to our customer with highly qualified and efficient team of professionals.

OurAll Product are Government certified under
CE and ISI 9001 : 2015 certification

CLARNIGO MACHINES are operation friendly, value for money Product and Cost efficient. Our goal is to have a long-term association with our customers.

CLARNIGO MACHINES MFG PVT. LTD. belong to a socially rich and financially sound business house. especially in manufacturing of wide range of Pulveriser and milling machinery.

CORE VALUE

INNOVATION
is a state of mind.

QUALITY
begets excellence.

INTEGRITY
makes us who we are.

COMMITMENT
To customers

TEAM WORK
can build empires.

OUR VISION

We are committed to be the world's premium food processing machinery company, focused on leading the food industry. We ensure the better Quality to our valuable customer and contribute towards a sustainable tomorrow through continuous innovation.



OUR MISSION

Our mission is to the utilize state of the art technology to provide a premium Quality Machine across the world, keeping in mind international quality standards and delivery; giving the most importance to customer satisfaction.



THE CLARNIGO EDGE

- 3 chambers blades deliver fast and precise grinding
- Efficiently grinds a wide variety of spices and grains
- Cyclone separator ensures cleaner, dust-free operation
- Cooling system maintains stable motor performance
- Designed for quick cleaning and easy maintenance
- Provides uniform and fine powder output consistently
- Compact structure fits easily in limited spaces
- User-friendly controls simplify daily operation
- Copper winding motor ensures long-lasting power
- Built with strong materials and essential safety features



CLARNIGO®
COMMITED TO EXCELLENCE

MICRO PULVERIZER



	3 HP
Model No	CGP0031
Hopper Capacity	15-20 KG
Technology	Semi Automatic
Material	MS + SS
Griding Capacity	20 - 25 KG
Coating	Powder
Motor	Single Phase
Voltage	220
Current	15 AMP
Power Consumption	2 KW
Size	37L X 18W x 44H
Beats - Cutter	3 - 3
Chamber	3

HEAVY PULVERIZER WITH CYCLONE



	5 HP	7.5 HP
Model No	CGPC0053	CGPC0753
Hopper Capacity	22-25 KG	30-35 KG
Grinding Capacity	55-70 KG	80-100 KG
Power Source	Electric	Electric
Voltage(V)	415	415
Current(A)	7.5	11
Power Consumption	5KW	7.5KW
Motor Speed	2880	2880
Material	MS+SS	MS+SS
Coating	Powder Coating	Powder Coating
No. Of Motors	3	3
Total HP	6.5 Hp	10 HP
Beaters	3	3
Cutters	3	3
Chamber	3 Chambers	3 Chambers
Height	50	48
Width	19	25
Length	42	62
Cyclone HxWxL	83x23x23	88x27.5x27.5

CLARNIGO
COMMITED TO EXCELLENCE

HEAVY PULVERIZER WITH CYCLONE



	10 HP	20 HP
Model No	CGPC0103	CGPC0203
Hopper Capacity	35-40 KG	60-70 KG
Grinding Capacity	100-130 KG	180-250 KG
Power Source	Electric	Electric
Voltage(V)	415	415
Current(A)	15	26
Power Consumption	9.5 KW	18KW
Motor Speed	2880	2880
Material	MS+SS	MS+SS
Coating	Powder Coating	Powder Coating
No. Of Motors	3	3
Total HP	12.5 HP	22.5 HP
Beaters	3	3
Cutters	3	3
Chamber	3 Chambers	3 Chambers
Height	49	58
Width	26	28
Length	63	74
Cyclone HxWxL	88 x 27.5 x 27.5	88 x 27.5 x 27.5

HEAVY SPICES PULVERIZER WITH CYCLONE



	5 HP	7.5 HP
Model No	CGMC00503	CGMC007003
Hopper Capacity	22-25 KG	30-35 KG
Grinding Capacity	40-50 KG	60-80 KG
Power Source	Electric	Electric
Voltage(V)	415	415
Current(A)	7.5	11
Power Consumption	5 KW	7.5 KW
Motor Speed	3600	3600
Material	MS+SS	MS+SS
Coating	Powder Coating	Powder Coating
No. Of Motors	3	3
Total HP	6.5 HP	10 HP
Beaters	3	3
Cutters	3	3
Chamber	3 Chambers	3 Chambers
Height	46	48
Width	22	25.5
Length	59	62.5
Cyclone HxWxL	83 x 23 x 23	88 x 27.5 x 27.5

CLARNIGO®
COMMITED TO EXCELLENCE

HEAVY SPICES PULVERIZER WITH CYCLONE



	10 HP	20 HP
Model No	CGMC001003	CGMC002003
Hopper Capacity	35-40 KG	50-60 KG
Grinding Capacity	70-100 KG	150-200 KG
Power Source	Electric	Electric
Voltage(V)	415	415
Current(A)	15	26
Power Consumption	9.5 KW	18KW
Motor Speed	3600	3600
Material	MS+SS	MS+SS
Coating	Powder Coating	Powder Coating
No. Of Motors	3	3
Total HP	12.5 HP	22.5 HP
Beaters	3	3
Cutters	3	3
Chamber	3 Chambers	3 Chambers
Height	50.5	59
Width	27.5	29
Length	63.5	75
Cyclone HxWxL	88 x 27.5 x 27.5	88 x 27.5 x 27.5

MULTIPURPOSE COMBO MACHINE



	5 HP
Model No	CGCMC2650
Hopper Capacity	Atta 25-30 KG / Masala 15-20 KG
Grinding Capacity	Atta 50-60 KG / Masala 40-60 KG
Power Source	Electric
Voltage(V)	415
Current(A)	7.5
Power Consumption	6 KW
Motor Speed	2880
Material	MS+SS
Coating	Powder Coating
No. Of Motors	5
Total HP	8 HP
Beaters	6
Cutters	6
Chamber	6 Chambers
Machine Size	80 L X 22 W X 48 H
Cyclone Size	27.5 L X 27.5 W X 88 H
Cyclone Size 2	27.5 L X 27.5 W X 88 H

CLARNIGO®
COMMITED TO EXCELLENCE

MULTIPURPOSE COMBO MACHINE



	7.5 HP	10 HP
Model No	CGCMC2675	CGMC2610
Hopper Capacity	Atta 30-35kg/Masala 25-30kg	Atta 30-35kg/Masala 25-30kg
Grinding Capacity	60-80 KG / 50-70 KG	100-120 KG/80-100 KG
Power Source	Electric	Electric
Voltage(V)	415	415
Current(A)	11	15
Power Consumption	8 KW	10 KW
Motor Speed	2880	2880
Material	MS+SS	MS+SS
Coating	Powder Coating	Powder Coating
No. Of Motors	5	5
Total HP	12.5 HP	15 HP
Beaters	6	6
Cutters	6	6
Chamber	6 Chambers	6 Chambers
Machine Size	98 L X 23.6 W X 50 H	98 L X 23.6 W X 50 H
Cyclone Size	27.5 L X 27.5 W X 88 H	27.5 L X 27.5 W X 88 H
Cyclone Size 2	27.5 L X 27.5 W X 88 H	27.5 L X 27.5 W X 88 H

PULVERIZER WITH VIBRO SHIFTER PLANT



	10 HP	20 HP
Model No	CGPCVB00103	CGPCVB00203
Hopper Capacity	35-40 KG	50-60 KG
Grinding Capacity	70-100 KG/HR	150-200 KG/HR
Power Source	Electric	Electric
Voltage(V)	415	415
Current(A)	15	26
Power Consumption	10 KW	18.5 KW
Motor Speed	2880	2880
Material	MS+SS	MS+SS
Coating	Powder Coating	Powder Coating
No. Of Motors	4	5
Total HP	13.5 HP	23.5 HP
Beaters	3	3
Cutters	3	3
Chamber	3 Chambers	3 Chambers
Machine Size	63.5 L X 27.5 W X 50.5 H	75 L X 29 W X 59 H
Cyclone Size	27 L X 43 W X 109 H	27 L X 43 W X 109 H
Vibro Capacity	300-400 KG/HR	300-400 KG/HR

CLARNIGO
COMMITED TO EXCELLENCE

VIBRO MACHINE



	Specification
Model No	CGVB001
Cleaning Capacity	300-400 KG
Material	SS304
Power	Three Phase
Motor	1 HP
RPM	1440
Vibro Screen	600 MM
Length	34
Width	34
Height	34.84

ROSTER MACHINE



	5 HP
Model No	CGRM001
Size	21 x 21 x 25
Motor	1 HP - 1440 RPM
Material	SS-202
Weight	200 KG
Capacity	20-22 KG / Batch

POWDER MIXING



	CLVB 2	CLVB 3	CLVB 5
Model No	CGPM1530	CGPM2050	CGPM30100
Size	37 x 27 x 28	61 x 27 x 48	85 x 27 x 48
Weight	190 KG	250 KG	370 KG
Motor	1.5 HP	2 HP	3 HP
Material	SS-304	SS-304	SS-304
Bowl Size	25-30 KG	40-50 KG	90-100 KG

CLARNIGO
COMMITED TO EXCELLENCE

GRAVY MACHINE



	2 HP	3 HP	5 HP	7 HP
Model No	CMG001	CMG001	CMG001	CMG001
Chamber Size	6x3	9x3	12x4	14x7
Length	20	23	22	35
Width	15	17	16	25
Height	27	30	32	45
Capacity (Per Hour)	35-40 KG	100-150 KG	200-300 KG	600-700 KG

MASALA GRADER



	0.5 HP
Model No	CMG001
Size	48L x 25H x 18H
Motor	0.5 HP
Details-1	Easy Operation
Details-2	Easy Dismantling & Cleaning
Details-3	Gradation & Separation of all type Dry Powder

PACKING MACHINE



	CGPM - 1020
Model No	PH-HCSM-1
Machine Structure	M.S. Powder Coating
Machine Size	41" x 22" x 38"
Sealing Size	12"
Maximum Sealing Height	22"
Minimum Adjustable Height	8"
Motor	0.10HP PMDC With Gear Box
Power	600W
Sealing Width	12 MM
Power Supply	Single Phase 220V/50Hz

CLARNIGO®
COMMITED TO EXCELLENCE

DOUGH KNEADER



	5 KG	10 KG	15 KG	20 KG	25 KG
Model No	CMG001	CMG001	CMG001	CMG001	CMG001
Length	23	37	37	44	45
Width	15.5	19	19	28	25
Height	23	33	37	41	41
Weight	55	125	130	140	145
HP	0.5	1	1	1.5	1.5

DEHYDRATION UNIT/ PLANT



	4 Tray SS	10 Tray SS	12 Tray SS	15 Tray SS
Model No	CGDU004	CGDU010	CGDU012	CGDU015
Material	Automatic MS Body with Control Panel	Automatic MS Body with Control Panel	Automatic MS Body with Control Panel	Automatic MS Body with Control Panel
Tray Size	14" x 14"	18" x 18"	18" x 18"	18" x 18"
Motor	0.5 HP	0.5 HP	0.5 HP	0.5 HP

CLARNIGO
COMMITED TO EXCELLENCE

MULTIPURPOSE DALIYA MAKING MACHINE



	5 HP
Hopper Capacity	20 KG
Grinding Capacity	300-400 KG/HR
Power Source	Electric
Voltage(V)	415 v
Current(A)	8 AMP
Power Consumption	4 KW
Motor Speed	2880
Material	MS+SS
Coating	Powder Coating
No. Of Motors	2
Total HP	5.5 HP
Beaters	3
Cutters	3
Chamber	3 Chambers
Machine Size	36 L X 21 W X 57 H
Grader Size	70 L X 28 W X 32 H
Grader Jali No.1 Size	10 Mesh
Grader Jali No.2 Size	20 Mesh

MULTI GRAIN SEED CLEANING / MILLING PLANT





01 Multipurpose Stone Less Atta Plant

02 Multipurpose Spices (Masala) Plant

03 Fully Automatic Besan Plant

04 Multi Grain Seed Cleaning Plant

Get in TOUCH

CLARNIGO MACHINES MFG. PVT. LTD.

Phone
+91 75750 92592

Website
www.clarnigo.com

Corporate Office
Office No. 328, RK Empire, 150ft Ring Road, Near Mavdi Circle, Rajkot - 360004, Gujarat (INDIA)

Manufacturing Unit
Kishan Gate, RRNO.255P N.A.Ind. Plot, Near Bapa Girnari Weigh Bridge, Shapar - Veraval, Rajkot - 360024, Gujarat (INDIA)

WhatsApp **Visit us** **Review Us** **Social Media**

